

OPLYSNINGSSKEMA

OF LISININGSSKLIVIA	
Model	CC4927S
Annual Energy Consumption - AEC _{hood}	39,0 kWh/a
Energi klasse	A+
Fluid Dynamic Efficiency - FDE	35,5 %
Fluid Dynamic Efficiency class	А
Light Efficiency - LE _{hood}	-
Lighting Efficiency Class	А
Grease Filtering Efficiency - GFE _{hood}	82,0 %
Grease Filtering Efficiency class	А
A-waighted Sound Power Emission at minimum speed	340 m³/h
Maximum Air Flow in normal use	670 m³∕h
Air Flow at intensive/boost setting	670 m³/h
A-waighted Sound Power Emission at minimum speed	55 dB(A) re 1pW
A-waighted Sound Power Emission at maximum speed	64 dB(A) re 1pW
A-waighted Sound Power Emission at intensive or boost speed	-
Power consumption off mode - P _o	-
Power consumption in standby mode - P _S	0,85 W
Time increase factor	0,7
Energy Efficiency Index -EEI	44,9
Measured air flow rate at best efficiency point - Q _{bep}	350,5 m³∕h
Measured air pressure at best efficiency point - P _{bep}	437,0 Pa
Maximum air flow - Q _{max}	670 m³/h
Measured electric power input at best efficiency point - W _{bep}	120,0 W
Nominal power of the lighting system - W _L	10,0 W

Average illumination of the lighting system on the

cooking surface - E _{average}