## **Home Appliances**

Home Appliances Products Cooking & Baking Cooker hoods Island cooker hoods DIB091U51B

**Serie | 8** Exxcel island chimney hood DIB091U51B brushed steel



## **Buy now**



**Download EU Data Sheet** 

**Customer Rating:** 

\*\*\*\*

Be the first to review this product  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($ 

Write a review





Stylish island chimney hoods perfectly complement island hob installations.

- An impressive extraction rate of 1000 m3/h ensures this hood will have your kitchen odour free in no time.
- Especially quiet: high performance at just 46 dB.
- LED lighting is highly energy efficient and provides attractive, white and even lighting for the hob area.
- Intensive speed setting with revert gives a quick intensive 6 min. burst to clear strong odours and then reverts back to the normal setting.











## **Technical specs** Key features Electronic control Electronic power level display Grease and charcoal filter saturation indicators EcoSensor Design 90 cm wide Designed for ceiling mounted installation Height adjustable chimney sections Features Soft touch button control for extractor speeds and light 3 power levels and 2 intensive settings Automatic intensive revert LED lights Softlight dimmer function Florescent mood lighting Additional noise reduction insulation

3 removable m	etal grease filter cassettes	
Performance/te	chnical information	
Suitable for due	ted or recirculating operation	
Extraction rate	according to EN 61591 ø 15 cm:	
max. Normal us	e 620 m³/h	
Intensive 1000	n³/h	
Maximum extra	ction rate 1000 m3/h (intensive)	
Noise level acc	ording to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 60	
	46 dB (A) re 20 μPa sound pressure)	