Home Appliances

Home Appliances Products Cooking & Baking Cooker hoods Wall-mounted cooker hoods DWB098E51B

Serie | 6 Exxcel
Box style hood
DWB098E51B Brushed steel



Buy now



Download EU Data Sheet

Customer Rating:

Be the first to review this product

Write a review





Wall mounted chimney hoods add style and sophistication to the kitchen and give you complete freedom in your

kitchen planning.

- An impressive extraction rate of 860 m3/h ensures this hood will have your kitchen odour free in no time.
- Especially quiet: high performance at just 41 dB.
- LED lighting is highly energy efficient and provides attractive, white and even lighting for the hob area.
- Intensive speed setting with revert gives a quick intensive 6 min. burst to clear strong odours and then reverts back to the normal setting.









Key fe	atures
	onic control
Electro	onic power level display
Greas	e and charcoal filter saturation indicators
Desig	
90 cm	wide
Desig	ned for wall mounted installation
Heigh	adjustable chimney sections
Featu	es
Soft to	uch button control for extractor speeds and light
3 pow	er levels and 2 intensive settings
Autom	atic intensive revert
LED li	nhts

Additional noise reduction insulation
3 removable metal grease filter cassettes
Performance/technical information
Suitable for ducted or recirculating operation
Extraction rate according to EN 61591 ø 15 cm: max. Normal use 460 m³/h Intensive 860 m³/h
Maximum extraction rate 860 m3/h (intensive)
Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 55 dB (A) re 1pW (41 dB (A) re 20 μ Pa sound pressure)