

# Home Appliances

Home Appliances   Products   Cooking & Baking   Cooker hoods   Wall-mounted cooker hoods   DWW097A50B

**Serie | 4 Classixx**  
Chimney extractor hood  
DWW097A50B brushed steel



[Buy now](#)






[Download EU Data Sheet](#)

**Customer Rating:**

★★★★★ 4.0 | [1 Review](#)

[Write a review](#)



**Wall mounted chimney hoods add style and sophistication to the kitchen and give you complete freedom in your**

# kitchen planning.

- An impressive extraction rate of 730 m3/h ensures this hood will have your kitchen odour free in no time.
- **Especially quiet:** high performance at just 40 dB.
- LED lighting is highly energy efficient and provides attractive, white and even lighting for the hob area.
- Intensive speed setting with revert gives a quick intensive 6 min. burst to clear strong odours and then reverts back to the normal setting.



## Technical specs

Key features

Electronic control

Electronic power level display

Design

90 cm wide

Designed for wall mounted installation

Height adjustable chimney sections

Features

Soft touch button control, Illuminated buttons

3 power levels & intensive setting

Automatic intensive revert

LED lights

Additional noise reduction insulation

3 removable metal grease filter cassettes

Performance/technical information

Suitable for ducted or recirculating operation

Extraction rate according to EN 61591 ø 15 cm:  
max. Normal use 460 m<sup>3</sup>/h  
Intensive 730 m<sup>3</sup>/h

Maximum extraction rate 730 m<sup>3</sup>/h (intensive)

Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 54  
dB (A) re 1pW (40 dB (A) re 20 µPa sound pressure)